Oak Bridge Condominium Association

IMPORTANT DRIER VENT CLEANING NOTICE

Date: September 18, 2017

To: All Owners and Residents of Oak Bridge

From: Board of Directors and The Evergreen Harvard Group

RE: Mandatory dryer vent cleaning.

As many of you are aware, the dryer vents are scheduled for cleaning this year. Enclosed please find a copy of the schedule.

On the day that your unit is scheduled to be inspected, please make sure that you are home or have given someone in your area a key to your unit. Please make sure to complete the enclosed form and return it to The Evergreen Harvard Group office no later than Friday September 22nd. You can also drop off the form below in the Board mail box located on the right wall in the mail house.

This cleaning is mandatory for all units

Failure to allow access to your home on the scheduled date could involve cancellation of the master insurance policy.

We hope that every resident and owner will give their maximum cooperation so that this very important cleaning can be completed. Please contact Leah Borla at 603-622-7000 if you have any questions regarding this notice. This year if you are unable to be at the inspection, please notify Leah at The Evergreen Harvard Group office and she will work with you and be available to let them in for you. A key will need to be given to Management and will be returned on the day of the inspection.

We will be requesting signatures from those residents that are NOT home for the inspection.

Unfortunately, if we are unable to access your unit for the cleaning a \$200.00 fine will be assessed and the vendor will be called back to the property at your expense.

Sincerely,

The Evergreen Harvard Group & Board of Directors

If you cannot be home and plan to make other arrangements, you must complete this form and email (dwaitt@evergreenharvardgroup.com), fax or mail it to the address below. It must be received no later than September 22, 2017. Or drop off the form in the Board mail box located on the right wall in the mail house.

I,	_ will leave my key with
His/Her telephone number is	
	OR
Directors, Oak Bridge Condominium	will leave my key in a location outside of d Evergreen Harvard Group, Oak Bridge Board of Association and Armstrong Heating harmless of services provided and shall not be named in any
The inspectors can find my key:	
Signed	Date:
	OR
&The Board of directors, and The E	will leave my front door unlocked. In g Heating, Oak Bridge Condominium Association Evergreen Harvard Group harmless of any liability ovided and shall not be named in any claims as a
Signed	Date:
	. Attention: Leah Borla or email Leah at or drop off in Board mail box found in mail house

Oak Bridge Condominium Association 17 Commerce Dr. Bedford, NH 03110

Morning Section Morning Units Afternoon Section **Afternoon Units** F1: 159, 160 F1 - 1st floor F1: 157, 158 9/25/2017 1 F2: 169, 170 2 F2: 167, 168 F2 - 2nd floor F3- 3rd floor F3: 179, 180 F3: 177, 178 F1: 153, 154 F1: 155, 156 9/26/2017 3 F2: 165, 166 4 F2: 163, 164 F3: 175, 176 F3: 173, 174 F1: 151, 152 F1: 1, 2 9/27/2017 5 F2: 161, 162 6 F2: 11, 12 F3: 21, 22 F3: 171, 172 F1: 3, 4 F1: 5, 6 7 9/28/2017 8 F2: 13, 14 F2: 15, 16 F3: 23, 24 F3: 25, 26 F1: 7, 8 F1: 9, 10 9/29/2017 9 F2: 17, 18 10 F2: 19, 20 F3: 27, 28 F3: 27, 30 F1: 31, 32 F1: 33, 34 10/2/2017 12 11 F2: 51, 52 F2: 53, 54 F3: 71, 72 F3: 73, 74 F1: 35, 36 F1: 37, 38 10/3/2017 13 F2: 55, 56 14 F2: 57, 58 F3: 75, 76 F3: 77, 78 F1: 39, 40 F1: 41, 42 10/4/2017 15 16 F2: 59, 60 F2: 61, 62 F3: 79, 80 F3: 81, 82 F1: 43, 44 F1: 45, 46 10/5/2017 17 F2: 63, 64 18 F2: 65, 66 F3: 83, 84 F3: 85, 86 F1: 47, 48 F1: 49, 50 10/6/2017 19 F2: 67, 68 20 F2: 69, 70 F3: 87, 88 F3: 89, 90 F1: 91, 92 F1: 93, 94 F2: 113, 114 10/9/2017 21 F2: 111, 112 22 F3: 131, 132 F3: 133, 134 F1: 95, 96 F1: 97, 98 10/10/2017 23 F2: 115, 116 24 F2: 117, 118 F3: 135, 136 F3: 137, 138 F1: 99, 100 F1: 101, 102 10/11/2017 25 F2: 119, 120 26 F2: 121, 122 F3: 141, 142 F3: 139, 140 F1: 105, 106 F1: 103, 104 10/12/2017 27 F2: 123, 124 28 F2: 125, 126 F3: 143, 144 F3: 145, 146 F1: 107, 108 F1: 109, 110 10/13/2017 29 F2: 127, 128 F2: 129, 130 30 F3: 147, 148 F3: 149, 150